

APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

PRODUCT DAT	A SHEET	CONTRAC	TOR NAME: CAMS	S Shelters			
1.PART NUMBER: CAMSS-DC20Q-10S/ECU-T 2.NSN:							
3.NAME: CAMSS20Q Deployable Camp		4.TYPE: Deployable Camp		5.CLASS:			
6.COLOR: 595 TAN 7. S		7. Support System: Fra	amo	8.SERIES: CAMSS20Q			
9. INTENDED USE: Deployable camp for 100 p							
9. INTENDED 031	E. Deployable Ca	imp for 100 pe	215011.				
10.DIMENSIONS (IN FEET AND INCHES)	LENGTH: 3	2'6"	WIDTH: 20'	HEIGHT: RIDGE/EAVE: 10' Peak Height			
11.DIMENSIONS (EXTERNAL GUYED)	LENGTH: 3	32'6"	WIDTH 26'				
12.SQUARE FEET INTERIOR: 6,320 Square Feet – for 10 shelters							
13.WEIGHT			14.WEIGHT	15.SHIPPING CUBE			
(POUNDS, UNPACKAGED) 1,100 lbs/shel			(PACKAGED) 1,500 lbs/shelter	(PACKAGED) 75 cu.ft/shelter			
16SHIPPING CONTAINER	LENGTH: 1	02"/shelter	WIDTH: 44"/shelter	HEIGHT: 29"/shelter			
17.SET-UP TIME/ 18.STRIKE TIME/							
NUMBER OF PERS persons/shelter	ONS 20 minute	s/4 I	NUMBER OF PERSONS:	15 minutes/4 persons/shelter			
persons/snerter							
19.PARTS INCLUDED: The CAMSS20Q Deployable Camp includes ten (10) CAMSS20QMT Shelter Sytems with ten (10) CAMSS 5 Ton ECUS. Also included is a power distribution system and a 176Kw Generator. The CAMSS20Q Deployable camp includes all the features of the CAMSS20QMT shelter system with the aluminum frame system and tensioned fabric cover. The five ton ECUs include 12 KW of heat and a 25' cord with a MIL SPEC connector. The 10 Shelter power distribution kit includes power distribution units to take the power from the 176Kw generator to each of the ECUs and the lights and outlets inside the shelter.							
20.DESCRIPTION: The CAMSS20Q Deployable Camp is a plug and play system that allows the users to order a complete camp system that includes the CAMSS20Q billeting shelter, 5 Ton ECUs, Power Distribution Kit and a 176KW generator. The CAMSS20Q Deployable Camp is compact for world wide deployment. The plug and play feature allows a complete camp system to be up and running quickly with everything that is included with the CAMSS20Q Deployable Camp Package.							
21. SUPPORT EQUIPMENT:	PART NUMBER Or NSN	R Included or Optional					
LIGHT SET Product Data Sheet	CAMSS-ESPWIL	Included	Ten (10) Incadescent Ligh	nts with distribution panel			
	CAMSS-ETPWFL	Optional	Ten (10) 50 Watt Fluores	cent Lights with distribution panel			
	CAMSS-ESPWLE	Optional	Ten (10) LED Light bulbs	with distribution panel			
ELECTRICAL	CAMSS-ESPWIL	Included	Includes two (2) outlet lie	nes with a total of 24 receptacles			
OUTLET SET Product Data Sheet	CAIVIOO-EOF WIL	mciuded	moduces two (2) outlet III	nes with a total of 24 receptacies			

Included Fabric floor with cutouts for base stubs and Velcro to attach to cover

Optional 650 square feet of hard plastic flooring

FLOORING

Sheet

Product Data

CAMSS20Q-PFL01

CAMSS-HFL650

Product Data Sheet				
AIR	CAMSS-5TECU01	Included	Five (5) ton ECU with 12kw of heating – 10 Included	
CONDITIONER Product Data Sheet	CAMSS-2.5TECU	Optional	2.5 ton ECU with 12kw of heating	
GENERATOR Product Data Sheet	CAMSS-G176KW	Included	176Kw Generator – One Included	
POWER DISTRIBUTION Product Data Sheet	CAMSS-E10SPDS	Included	Ten shelter power power distribution system	
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet	CAMSS- GETT25KW60BTU	Optional	CAMSS GETT25KW60BTU Trailer	
INSULATED LINER Product Data Sheet	CAMSS20Q-HLLE	Optional	CAMSS Insulcam liner system installs quickly and easily like the basic liner system and reduces demand on ECUs by 42%	
INSULATED FLOORING Product Data Sheet				
SOLAR SHADE/ CAMOU. NETT Product Data	CAMSS20Q-PSF01	Optional	CAMSS Solar Fly is a unique fly system that slides over the cover and reduces solar load on the shelter.	